

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING	G DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/919,050 07/31/2001		1/2001	Karthik Ramasubramanian	CR00257M 4250	
22917	7590	06/02/2006		EXAM	INER
MOTOROL 1303 EAST A	•	TSE, YOU	TSE, YOUNG TOI		
IL01/3RD				ART UNIT	PAPER NUMBER
SCHAUMBU	RG, IL 60	196	2611		

DATE MAILED: 06/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Office Action Summary	09/919,050	RAMASUBRAMANIAN ET AL.	
on, oo nodon ounmary	Examiner	Art Unit	
The MAILING DATE of this communication app	YOUNG T. TSE	2611	
Period for Reply	lears on the cover sheet with the t	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication.	
Status			
<ol> <li>Responsive to communication(s) filed on 13 M</li> <li>This action is FINAL. 2b) This</li> <li>Since this application is in condition for allowar closed in accordance with the practice under E</li> </ol>	action is non-final. nce except for formal matters, pro		
Disposition of Claims	•	:	
4) ☐ Claim(s) 1-32 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 8-14 is/are rejected. 7) ☐ Claim(s) 1-7 and 15-32 is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.		
Application Papers			
9) The specification is objected to by the Examine  10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction.  The oath or declaration is objected to by the Examine	epted or b) objected to by the drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
<ul> <li>12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents</li> <li>2. Certified copies of the priority documents</li> <li>3. Copies of the certified copies of the prior application from the International Bureau</li> <li>* See the attached detailed Office action for a list of the priority documents</li> </ul>	s have been received. s have been received in Applicati ity documents have been receive i (PCT Rule 17.2(a)).	ion No ed in this National Stage	
Attachment(s)			
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D  5) Notice of Informal F  6) Other:		

Art Unit: 2611

#### **DETAILED ACTION**

#### Specification

1. The disclosure is objected to because of the following informalities: page 1, lines 5-7, the U.S. Provisional Application needs to be updated; page 2, line 2, "Beek")" should be "Beek")". Appropriate correction is required.

# Claim Objections

2. Claims 1-32 are objected to because of the following informalities:

In claim 1, line 3, "ensemble correlation function output" should be "an ensemble correlation function" since an ensemble correlation function is computed by the ensemble correlator 54 as mentioned in the specification, but not an ensemble correlation function output.

In claim 1 (line 6), claims 2-3 and 5-6 (line 2), claim 8 (lines 2 and 6), claims 9-11 (line 3), claim 15 (lines 4 and 6), claims 16-19 (line 2), claim 22 (line 3), claim 23 (line 4), claims 24-25 (line 3) and claim 28 (lines 3 and 6), the word "output" should be deleted:

In claim 8, line 3, the word "and" should be deleted.

In claim 15 (line 1), claim 16 (lines 5-6) and claim 23 (lines 2 and 8), "delay spread" should be "delay-spread".

In claim 23, line 7, "of the symbol" should be "of a symbol".

In claim 32, line 3, "multi-path" should be "multipath".

Art Unit: 2611

Dependent claims 4, 7, 12-14, 20-21, 26-27, and 29-31 are objected to because they are depended upon independent claims 1, 8, 15, 22 and 28.

Appropriate correction is required.

## Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the first paragraph of 35 U.S.C. 112:
  - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 4. Claims 8-14 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

The configuration of claims 8 and 11 does not correspond to the disclosure of Figure 6. For example, claim 8 recites a subtractor (66), operatively coupled a correlator (54) for determining a valid sampling region based on a width of a plateau of an ensemble correlation function. However, claim 11 further recites a comparator (60), operatively coupled to the correlator, for comparing the ensemble correlation function to a threshold to define the valid sampling region. In other word, is the valid sampling region obtained from the subtractor (66) or the comparator (60)?

Art Unit: 2611

## Allowable Subject Matter

5. Claims 1-7 and 15-32 would be allowable if rewritten to overcome the objection(s) set forth in this Office action.

#### Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to YOUNG T. TSE whose telephone number is (571) 272-3051. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on (571) 272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/919,050

Art Unit: 2611

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

OUNG T. TSE
//Primary Examiner
Art Unit 2611